

Exam : IBM 000-134

**Title : Rational Business
Developer**

Version : Demo

1. Which choice is a valid stereotype for a record?

- A. Array
- B. CSV
- C. ExternalType
- D. Form

Answer: B

2. Which primitive type provides the best performance for a counter used to control a loop with maximum iterations of 1000?

- A. DECIMAL
- B. INT
- C. NUM
- D. SMALLINT

Answer: D

3. One of several programs in an EGL project requires a different build descriptor option from the other programs in the same project. What is the BEST way to specify the different build descriptor option?

- A. generate the program using Generate With Wizard and override the build descriptor option in the wizard
- B. use a master build descriptor plugin.xml file to control which build descriptor part is used for each program
- C. move the program to a different project so that all programs in each project use the same default build descriptor part
- D. create a build descriptor part for the program and specify it in the EGL Default Build Descriptors for the program

Answer: D

4. Which EGL statement is used to send a text form to a user, receive input from the user, and always return to the same program?

- A. show statement
- B. converse statement

-
- C. forward statement
 - D. display statement

Answer: B

5. Which EGL statement demonstrates the correct way to initialize a dynamic array of integers so that the first element has the value 3?

- A. myArray INT =3;
- B. myArray INT[] =3;
- C. myArray INT[3];
- D. myArray INT[3] =3;

Answer: D

6. Which EGL move statement is valid?

- A. move RECORDA to RECORDB byByte;
- B. move RECORDA to RECORDB byPosition;
- C. move RECORDA to RECORDB with VAGenCompat;
- D. move RECORDA to RECORDB for INDEX1 to INDEX2;

Answer: B

7. Consider the following source code:

```
sourceTimeStamp TIMESTAMP (MMdd);  
targetTimeStamp TIMESTAMP (yyyyMMddHHmmss)  
sourceTimeStamp = "0615";  
targetTimeStamp = sourceTimeStamp;
```

If this statement runs on March 10, 2008 at 2:38:40 AM, what is the resulting value for targetTimeStamp?

- A. 00000310000000
- B. 00000615000000
- C. 20080615000000
- D. 20080615023840

Answer: C

8. Which statement is NOT a valid way to transfer control from one program to another?

- A. call statement, specifying parameters to pass
- B. forward statement, specifying a text form to send
- C. transfer to program statement, specifying a record to transfer
- D. transfer to transaction statement, specifying a record to transfer

Answer: B

9. Which validation property runs last?

- A. inputRequired
- B. validatorDataTable
- C. validatorFunction
- D. validValues

Answer: C

10. Which choice is NOT a valid Exception record?

- A. AnyException
- B. CallException
- C. NullValueException
- D. SQLException

Answer: B

11. With respect to EGL projects, which technique allows ProjectA to use code from ProjectB during development and also at runtime for generated Java programs?

- A. ProjectB must be added to the EGL Build Path for ProjectA.
- B. ProjectA must be added to the EGL Build Path for ProjectB.
- C. ProjectB must be added to the EGL Build Path and the Java Build Path for ProjectA.
- D. ProjectA must be added to the EGL Build Path and the Java Build Path for ProjectB.

Answer: C

12. Which situation requires that an import statement be specified when using an EGL record part as a type definition for a variable?

- A. when the variable is declared outside of the file that the record was created in
- B. when the variable is declared outside of the package that the record was created in
- C. when the variable is declared outside of the project that the record was created in
- D. every time a variable is declared regardless of where the record was created

Answer: B

13. Which statement about building and generating is FALSE?

- A. Build Automatically causes EGL to perform a build whenever you save a file.
- B. Clean causes all parts in all files to be built regardless of whether they have changed.
- C. Auto generate enables you to specify which types of generatable parts EGL will automatically generate whenever you save them.
- D. Build before generate enables you to specify which types of generatable parts EGL will always build before generating them.

Answer: D

14. Which choice is NOT a category of preferences that can be set for the EGL Editor using Window > Preferences > EGL > Editor?

- A. Folding
- B. Formatter
- C. Source Styles
- D. SQL Database Connections

Answer: D

15. How must a function be defined in the corresponding JSF handler for it to be listed in the Page Data view?

- A. public with no parameters
- B. public with at least one parameter
- C. private with no parameters

D. private with at least one parameter

Answer: A